

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:12
S2	2	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (baseline with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:33
S3	0	(power with evaluat\$3) and (retrieve with power with data) and (operating with system) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 12:36
S4	2	(power with evaluat\$3) and (retriev\$3 with power with data) and (operating with system) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:54
S5	5	(power with evaluat\$3) and (retriev\$3 with data) and (operating with system) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:28
S6	0	10/789188	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 14:17
S8	5	(power with evaluat\$3) and (retriev\$3 with data) and (operating with system) and (net with power with consumption) and (power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:30
S9	0	S8 and (drain with rate with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:30

S10	0	S8 and (drain with rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:30
S12	0	(power with evaluat\$3) and retrieve and (drain with rate) and (operating with system) and (net with power with consumption) and (power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:31
S13	0	(power with evaluat\$3) and (drain with rate) and (operating with system) and (net with power with consumption) and (power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:31
S14	2	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (baseline with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:33
S15	2	S14 and baseline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:34
S16	2	S15 and (capacity with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:35
S17	0	S16 and (drain with rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:36
S18	2	S16 and drain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:36

S19	0	(power with measur\$6 with computer) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:50
S20	0	(power with measur\$6) and (power with computer) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:51
S21	0	(power with measur\$6) and (power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:51
S22	3	(power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 14:48
S23	804	(power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:28
S24	103	(power with measur\$6 with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:54
S25	9	S24 and (retriev\$3 with power with data) and (operating with system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:21
S27	1	S25 and (time with period with operating with system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:31

S28	103	(power with measur\$6 with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:21
S29	0	S28 and (subtract with power with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:25
S30	0	S28 and (subtract\$3 with power with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:22
S31	1	S28 and (drain with rate with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:23
S32	0	S28 and (subtract with power with amount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:25
S33	0	S28 and (subtract\$3 with power with amount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:26
S34	0	S28 and (systematic with error with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:27
S35	0	S28 and (systematic with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:43

S36	0	(power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption) and (systematic with error with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:28
S37	0	(manag\$6 with power with data) and (collect\$4 with power with data) and (net with power with consumption) and (power with data with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S38	34	(manag\$6 with power with data) and (collect\$4 with power with data) and (power with data with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:12
S39	0	S38 and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:13
S40	0	S38 and (update with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:12
S41	0	(manag\$6 with power with data) and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S42	10	(power with data) and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:00
S43	0	S42 and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14

S44	2	S42 and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S45	1	(power with data) same (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:16
S46	0	(power with data) same (update near5 frequency near5 sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:16
S47	12	(amount with power with used) same ((run running) with application) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 14:50
S48	617	702/65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:32
S49	15	S48 and (collect\$3 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:32
S50	8	S49 and sufficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:33
S51	18	(power with data) same (systematic with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:31

S52	1	S51 and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:46
S53	1	S51 and (computer with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:45
S54	14	S51 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:46
S55	256	(power with data with error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:01
S56	9	S55 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:57
S57	8	(power near2 data near2 error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:03
S58	299	(power near2 error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:17
S59	299	(power near2 error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:24

S60	10	S59 and (power with used with (run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:24
S61	179	(error adj2 power) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:24
S62	4	S61 and (power with used with (run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:25
S63	2	(power near2 error) and (amount with power with used with (run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:26
S64	2	(evaluat\$3 with power) same (systematic with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:31
S65	54	(evaluat\$3 near2 power) and (systematic near1 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:32
S66	8	S65 and (collect\$3 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:36
S67	8	"713"/\$.ccls. and (systematic near1 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:36

S68	9	(manag\$6 with power with data) and (systematic near1 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:41
S69	0	(measur\$6 with power with data) and (systematic near1 error near2 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:41
S70	11	(measur\$6 with power with data) and (systematic with error with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:59
S71	10	(measur\$6 with power with data) and (update with frequency with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:00
S73	1	S71 and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:01
S74	33	(manag\$6 with power with data) and (computer laptop CPU) and (power adj data) and (power near2 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 09:10
S75	0	S74 and (power with (run runing) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:14
S76	0	S74 and ((run runing) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:14

S77	5	S74 and (application with process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:15
S78	12	(manag\$6 with power with data) and (computer laptop CPU) and (power adj data) and (updat\$3 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 09:11
S79	10	S78 and sufficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 09:11